

To: Serda, Sophia[Serda.Sophia@epa.gov]
From: Reyes, Deldi
Sent: Wed 12/2/2015 11:37:44 PM
Subject: Re: Sampling for Lead in Residential soil, Exide

Thanks for the quick response, Sophia. I won't opine on anything tomorrow, since this is so rushed. I also anticipate that if DTSC says we are reviewing and/or I offer that we are doing so, some folks may want to see our comments in writing.

So, we'll need to work that through the chain . . .

Take care.

From: Serda, Sophia
Sent: Wednesday, December 2, 2015 3:33 PM
To: Reyes, Deldi; Patel, Suhasini@DTSC
Cc: Meer, Daniel; Guria, Peter; Allen, HarryL
Subject: RE: Sampling for Lead in Residential soil, Exide

Hi Deldi,

I took a look at the sampling plan. I was happy to see the use of the CA lead site specific screening level of 80 mg/kg and that they are sieving the soil samples through a 60 mesh sieve to obtain the fine soil particles, 250 microns, which can stick to kids' hands. Also, the DQOs found in Table 1 are pretty good.

Hope this help for your meeting tomorrow night,

Regards, Sophia

Sophia Serda, MS, PhD

Toxicologist || EPA || Region 9 || **Superfund** || Community Involvement & Technical Support Branch

415-972-3057

Please be advised I currently have limited access to email when I am not in the office (e.g., on travel), therefore please be patient with any communication delays.

From: Reyes, Deldi
Sent: Wednesday, December 02, 2015 1:08 PM
To: Patel, Suhasini@DTSC <Suhasini.Patel@dtsc.ca.gov>
Cc: Serda, Sophia <Serda.Sophia@epa.gov>; Meer, Daniel <Meer.Daniel@epa.gov>; Guria, Peter <Guria.Peter@epa.gov>; Allen, HarryL <Allen.HarryL@epa.gov>
Subject: Re: Sampling for Lead in Residential soil, Exide

Thanks for clarifying Su. I've copied Harry and Pete here as they will determine who best on their staffs will do the review.

See you tomorrow.

From: Patel, Suhasini@DTSC <Suhasini.Patel@dtsc.ca.gov>
Sent: Wednesday, December 2, 2015 12:01 PM
To: Reyes, Deldi
Cc: Serda, Sophia; Meer, Daniel
Subject: RE: Sampling for Lead in Residential soil, Exide

Hi Deldi,

Thank you for checking –my intent was to have US EPA comment on the sampling and analysis plan before we presented it to the Advisory Group. Although, we already presented the highlights at the meeting last month after working with the Technical Advisor; I think it would still be a good idea to have you look at it and comment. So I am attaching the Final Sampling Plan.

Please let me know if any of you have any questions and Thank you again

Su

Suhasini Patel

Department Of Toxic Substances Control

Hazardous Waste Management Program

Phone: (916) 323-3513 or 255-6540

From: Reyes, Deldi [<mailto:Reyes.Deldi@epa.gov>]

Sent: Wednesday, December 02, 2015 10:21 AM

To: Patel, Suhasini@DTSC <Sahasini.Patel@dtsc.ca.gov>

Cc: Serda, Sophia <Serda.Sophia@epa.gov>; Meer, Daniel <Meer.Daniel@epa.gov>

Subject: Re: Sampling for Lead in Residential soil, Exide

Hi, Su, I hope you're doing well. I'll be seeing you all tomorrow at this month's Exide meeting. I wanted to make sure we didn't miss anything in your request below for a review by EPA of the lead sampling plan.

Deldi

From: Patel, Suhasini@DTSC <Sahasini.Patel@dtsc.ca.gov>

Sent: Monday, November 2, 2015 4:30 PM

To: Reyes, Deldi

Cc: Serda, Sophia; Meer, Daniel

Subject: RE: Sampling for Lead in Residential soil, Exide

Thank you Deldi!

The Draft SAP is being reviewed/edited internally and should be ready sometime early next week. I will send it to you and Dan as soon as we have one that everyone agrees on.

Su

From: Reyes, Deldi [<mailto:Reyes.Deldi@epa.gov>]
Sent: Wednesday, October 28, 2015 8:58 PM
To: Patel, Suhasini@DTSC <Suhasini.Patel@dtsc.ca.gov>
Cc: Serda, Sophia <Serda.Sophia@epa.gov>; Meer, Daniel <Meer.Daniel@epa.gov>
Subject: Re: Sampling for Lead in Residential soil, Exide

Su, please send Dan Meer the sampling plan and he will make sure it will be reviewed by the right person. Dan is cc'd here.

Sent from my iPhone

On Oct 27, 2015, at 3:27 PM, Patel, Suhasini@DTSC <Suhasini.Patel@dtsc.ca.gov> wrote:

Hi Sophia and Deldi,

I am looking for either one of you to help me get someone to talk to about our sampling plan for lead contamination in residential yards in Exide's neighborhood in Vernon CA. We are presenting our proposed plan to the community tomorrow and wanted some outside feedback.

Please let me know if you can identify that person for me. Tomorrow I will be travelling to LA but can be reached at 916-792-9400 [my cell phone].

Thank you

Su

Suhasini Patel

Department Of Toxic Substances Control

Hazardous Waste Management Program

Phone: (916) 323-3513 or 255-6530